

<http://catalog.pemnet.com/viewitems/flush-head-threaded-studs-types-fh-fha-fhs/f-clinching-threaded-studs-type-fh-fhs-fha-unified>

PART NUMBER	THREAD	HOLE SIZE	LENGTH	H (OD)	MATERIAL	SURFACE TREAT
<u>FHS-256-4</u>	.086-56 (#2-56)	.085 in	.250 in	.144 in	300 Series Stainless Steel	Passivated and/or tested
<input type="checkbox"/> <u>FHS-440-4</u>	.112-40 (#4-40)	.111 in	.250 in	.176 in	300 Series Stainless Steel	Passivated and/or tested
<input type="checkbox"/> <u>FHS-632-4</u>	.138-32 (#6-32)	.137 in	.250 in	.206 in	300 Series Stainless Steel	Passivated and/or tested
<input type="checkbox"/> <u>FHS-832-4</u>	.164-32 (#8-32)	.163 in	.250 in	.237 in	300 Series Stainless Steel	Passivated and/or tested
<input type="checkbox"/> <u>FHS-256-5</u>	.086-56 (#2-56)	.085 in	.312 in	.144 in	300 Series Stainless Steel	Passivated and/or tested
<input type="checkbox"/> <u>FHS-440-5</u>	.112-40 (#4-40)	.111 in	.312 in	.176 in	300 Series Stainless Steel	Passivated and/or tested
<input type="checkbox"/> <u>FHS-632-5</u>	.138-32 (#6-32)	.137 in	.312 in	.206 in	300 Series Stainless Steel	Passivated and/or tested
<input type="checkbox"/> <u>FHS-832-5</u>	.164-32 (#8-32)	.163 in	.312 in	.237 in	300 Series Stainless Steel	Passivated and/or tested
<input type="checkbox"/> <u>FHS-024-5</u>	.190-24 (#10-24)	.189 in	.312 in	.256 in	300 Series Stainless Steel	Passivated and/or tested
<input type="checkbox"/> <u>FHS-032-5</u>	.190-32 (#10-32)	.189 in	.312 in	.256 in	300 Series Stainless Steel	Passivated and/or tested

<input type="checkbox"/>	<u>FHS-256-6</u>	.086-56 (#2-56)	.085 in	.375 in	.144 in	300 Series Stainless Steel	Passivated and/or tested
<input type="checkbox"/>	<u>FHS-440-6</u>	.112-40 (#4-40)	.111 in	.375 in	.176 in	300 Series Stainless Steel	Passivated and/or tested
<input type="checkbox"/>	<u>FHS-632-6</u>	.138-32 (#6-32)	.137 in	.375 in	.206 in	300 Series Stainless Steel	Passivated and/or tested
<input type="checkbox"/>	<u>FHS-832-6</u>	.164-32 (#8-32)	.163 in	.375 in	.237 in	300 Series Stainless Steel	Passivated and/or tested
<input type="checkbox"/>	<u>FHS-024-6</u>	.190-24 (#10-24)	.189 in	.375 in	.256 in	300 Series Stainless Steel	Passivated and/or tested
<input type="checkbox"/>	<u>FHS-032-6</u>	.190-32 (#10-32)	.189 in	.375 in	.256 in	300 Series Stainless Steel	Passivated and/or tested
<input type="checkbox"/>	<u>FHS-0420-6</u>	.250-20 (1/4-20)	.249 in	.375 in	.337 in	300 Series Stainless Steel	Passivated and/or tested
<input type="checkbox"/>	<u>FHS-256-8</u>	.086-56 (#2-56)	.085 in	.500 in	.144 in	300 Series Stainless Steel	Passivated and/or tested
<input type="checkbox"/>	<u>FHS-440-8</u>	.112-40 (#4-40)	.111 in	.500 in	.176 in	300 Series Stainless Steel	Passivated and/or tested
<input type="checkbox"/>	<u>FHS-632-8</u>	.138-32 (#6-32)	.137 in	.500 in	.206 in	300 Series Stainless Steel	Passivated and/or tested
<input type="checkbox"/>	<u>FHS-832-8</u>	.164-32 (#8-32)	.163 in	.500 in	.237 in	300 Series Stainless Steel	Passivated and/or tested

<input type="checkbox"/>	<u>FHS-024-8</u>	.190-24 (#10-24)	.189 in	.500 in	.256 in	300 Series Stainless Steel	Passivated and/or tested
<input type="checkbox"/>	<u>FHS-032-8</u>	.190-32 (#10-32)	.189 in	.500 in	.256 in	300 Series Stainless Steel	Passivated and/or tested
<input type="checkbox"/>	<u>FHS-0420-8</u>	.250-20 (1/4-20)	.249 in	.500 in	.337 in	300 Series Stainless Steel	Passivated and/or tested
<input type="checkbox"/>	<u>FHS-0518-8</u>	.313-18 (5/16-18)	.311 in	.500 in	.376 in	300 Series Stainless Steel	Passivated and/or tested
<input type="checkbox"/>	<u>FHS-256-10</u>	.086-56 (#2-56)	.085 in	.625 in	.144 in	300 Series Stainless Steel	Passivated and/or tested
<input type="checkbox"/>	<u>FHS-440-10</u>	.112-40 (#4-40)	.111 in	.625 in	.176 in	300 Series Stainless Steel	Passivated and/or tested
<input type="checkbox"/>	<u>FHS-632-10</u>	.138-32 (#6-32)	.137 in	.625 in	.206 in	300 Series Stainless Steel	Passivated and/or tested
<input type="checkbox"/>	<u>FHS-832-10</u>	.164-32 (#8-32)	.163 in	.625 in	.237 in	300 Series Stainless Steel	Passivated and/or tested
<input type="checkbox"/>	<u>FHS-024-10</u>	.190-24 (#10-24)	.189 in	.625 in	.256 in	300 Series Stainless Steel	Passivated and/or tested
<input type="checkbox"/>	<u>FHS-032-10</u>	.190-32 (#10-32)	.189 in	.625 in	.256 in	300 Series Stainless Steel	Passivated and/or tested
<input type="checkbox"/>	<u>FHS-0420-10</u>	.250-20 (1/4-20)	.249 in	.625 in	.337 in	300 Series Stainless Steel	Passivated and/or tested

<input type="checkbox"/> <u>FHS-0518-10</u>	.313-18 (5/16-18)	.311 in	.625 in	.376 in	300 Series Stainless Steel	Passivated and/or tested
<input type="checkbox"/> <u>FHS-256-12</u>	.086-56 (#2-56)	.085 in	.750 in	.144 in	300 Series Stainless Steel	Passivated and/or tested
<input type="checkbox"/> <u>FHS-440-12</u>	.112-40 (#4-40)	.111 in	.750 in	.176 in	300 Series Stainless Steel	Passivated and/or tested
<input type="checkbox"/> <u>FHS-632-12</u>	.138-32 (#6-32)	.137 in	.750 in	.206 in	300 Series Stainless Steel	Passivated and/or tested
<input type="checkbox"/> <u>FHS-832-12</u>	.164-32 (#8-32)	.163 in	.750 in	.237 in	300 Series Stainless Steel	Passivated and/or tested
<input type="checkbox"/> <u>FHS-024-12</u>	.190-24 (#10-24)	.189 in	.750 in	.256 in	300 Series Stainless Steel	Passivated and/or tested
<input type="checkbox"/> <u>FHS-032-12</u>	.190-32 (#10-32)	.189 in	.750 in	.256 in	300 Series Stainless Steel	Passivated and/or tested
<input type="checkbox"/> <u>FHS-0420-12</u>	.250-20 (1/4-20)	.249 in	.750 in	.337 in	300 Series Stainless Steel	Passivated and/or tested
<input type="checkbox"/> <u>FHS-0518-12</u>	.313-18 (5/16-18)	.311 in	.750 in	.376 in	300 Series Stainless Steel	Passivated and/or tested
<input type="checkbox"/> <u>FHS-440-14</u>	.112-40 (#4-40)	.111 in	.875 in	.176 in	300 Series Stainless Steel	Passivated and/or tested
<input type="checkbox"/> <u>FHS-632-14</u>	.138-32 (#6-32)	.137 in	.875 in	.206 in	300 Series Stainless Steel	Passivated and/or tested

<input type="checkbox"/>	<u>FHS-832-14</u>	.164-32 (#8-32)	.163 in	.875 in	.237 in	300 Series Stainless Steel	Passivated and/or tested
<input type="checkbox"/>	<u>FHS-024-14</u>	.190-24 (#10-24)	.189 in	.875 in	.256 in	300 Series Stainless Steel	Passivated and/or tested
<input type="checkbox"/>	<u>FHS-032-14</u>	.190-32 (#10-32)	.189 in	.875 in	.256 in	300 Series Stainless Steel	Passivated and/or tested
<input type="checkbox"/>	<u>FHS-0420-14</u>	.250-20 (1/4-20)	.249 in	.875 in	.337 in	300 Series Stainless Steel	Passivated and/or tested
<input type="checkbox"/>	<u>FHS-0518-14</u>	.313-18 (5/16-18)	.311 in	.875 in	.376 in	300 Series Stainless Steel	Passivated and/or tested
<input type="checkbox"/>	<u>FHS-440-16</u>	.112-40 (#4-40)	.111 in	1.00 in	.176 in	300 Series Stainless Steel	Passivated and/or tested
<input type="checkbox"/>	<u>FHS-632-16</u>	.138-32 (#6-32)	.137 in	1.00 in	.206 in	300 Series Stainless Steel	Passivated and/or tested
<input type="checkbox"/>	<u>FHS-832-16</u>	.164-32 (#8-32)	.163 in	1.00 in	.237 in	300 Series Stainless Steel	Passivated and/or tested
<input type="checkbox"/>	<u>FHS-024-16</u>	.190-24 (#10-24)	.189 in	1.00 in	.256 in	300 Series Stainless Steel	Passivated and/or tested
<input type="checkbox"/>	<u>FHS-032-16</u>	.190-32 (#10-32)	.189 in	1.00 in	.256 in	300 Series Stainless Steel	Passivated and/or tested
<input type="checkbox"/>	<u>FHS-0420-16</u>	.250-20 (1/4-20)	.249 in	1.00 in	.337 in	300 Series Stainless Steel	Passivated and/or tested

<input type="checkbox"/> <u>FHS-0518-16</u>	.313-18 (5/16-18)	.311 in	1.00 in	.376 in	300 Series Stainless Steel	Passivated and/or tested
<input type="checkbox"/> <u>FHS-440-20</u>	.112-40 (#4-40)	.111 in	1.25 in	.176 in	300 Series Stainless Steel	Passivated and/or tested
<input type="checkbox"/> <u>FHS-632-20</u>	.138-32 (#6-32)	.137 in	1.25 in	.206 in	300 Series Stainless Steel	Passivated and/or tested
<input type="checkbox"/> <u>FHS-832-20</u>	.164-32 (#8-32)	.163 in	1.25 in	.237 in	300 Series Stainless Steel	Passivated and/or tested
<input type="checkbox"/> <u>FHS-024-20</u>	.190-24 (#10-24)	.189 in	1.25 in	.256 in	300 Series Stainless Steel	Passivated and/or tested
<input type="checkbox"/> <u>FHS-032-20</u>	.190-32 (#10-32)	.189 in	1.25 in	.256 in	300 Series Stainless Steel	Passivated and/or tested
<input type="checkbox"/> <u>FHS-0420-20</u>	.250-20 (1/4-20)	.249 in	1.25 in	.337 in	300 Series Stainless Steel	Passivated and/or tested
<input type="checkbox"/> <u>FHS-0518-20</u>	.313-18 (5/16-18)	.311 in	1.25 in	.376 in	300 Series Stainless Steel	Passivated and/or tested
<input type="checkbox"/> <u>FHS-632-24</u>	.138-32 (#6-32)	.137 in	1.50 in	.206 in	300 Series Stainless Steel	Passivated and/or tested
<input type="checkbox"/> <u>FHS-832-24</u>	.164-32 (#8-32)	.163 in	1.50 in	.237 in	300 Series Stainless Steel	Passivated and/or tested
FHS-024-24	.190-24 (#10-24)	.189 in	1.50 in	.256 in	300 Series Stainless Steel	Passivated and/or tested

<input type="checkbox"/> FHS-032-24	.190-32 (#10-32)	.189 in	1.50 in	.256 in	300 Series Stainless Steel	Passivated and/or tested
<input type="checkbox"/> FHS-0420-24	.250-20 (1/4-20)	.249 in	1.50 in	.337 in	300 Series Stainless Steel	Passivated and/or tested
<input type="checkbox"/> FHS-0518-24	.313-18 (5/16-18)	.311 in	1.50 in	.376 in	300 Series Stainless Steel	Passivated and/or tested